

FACTS *for* FAMILIES

No. 80

March 2011

Bullying

Bullying is a common experience for many children and adolescents. Surveys indicate that as many as half of all children are bullied at some time during their school years, and at least 10% are bullied on a regular basis.

Bullying behavior can be physical or verbal. Boys tend to use physical intimidation or threats, regardless of the gender of their victims. Bullying by girls is more often verbal, usually with another girl as the target. Bullying has even been reported in online chat rooms, through e-mail and on social networking sites.

Children who are bullied experience real suffering that can interfere with their social and emotional development, as well as their school performance. Some victims of bullying have even attempted suicide rather than continue to endure such harassment and punishment.

Children and adolescents who bully thrive on controlling or dominating others. They have often been the victims of physical abuse or bullying themselves. Bullies may also be depressed, angry or upset about events at school or at home. Children targeted by bullies also tend to fit a particular profile. Bullies often choose children who are passive, easily intimidated, or have few friends. Victims may also be smaller or younger, and have a harder time defending themselves.

If you suspect your child is bullying others, it's important to seek help for him or her as soon as possible. Without intervention, bullying can lead to serious academic, social, emotional and legal difficulties. Talk to your child's pediatrician, teacher, principal, school counselor, or family physician. If the bullying continues, a comprehensive evaluation by a child and adolescent psychiatrist or other mental health professional should be arranged. The evaluation can help you and your child understand what is causing the bullying, and help you develop a plan to stop the destructive behavior.

If you suspect your child may be the victim of bullying ask him or her to tell you what's going on. You can help by providing lots of opportunities to talk with you in an open and honest way.

It's also important to respond in a positive and accepting manner. Let your child know it's not his or her fault, and that he or she did the right thing by telling you. Other specific suggestions include the following:

- Ask your child what he or she thinks should be done. What's already been tried? What worked and what didn't?

Bullying, “Facts for Families,” No. 80 (3/11)

- Seek help from your child's teacher or the school guidance counselor. Most bullying occurs on playgrounds, in lunchrooms, and bathrooms, on school buses or in unsupervised halls. Ask the school administrators to find out about programs other schools and communities have used to help combat bullying, such as peer mediation, conflict resolution, and anger management training, and increased adult supervision.
- Don't encourage your child to fight back. Instead, suggest that he or she try walking away to avoid the bully, or that they seek help from a teacher, coach, or other adult.
- Help your child practice what to say to the bully so he or she will be prepared the next time.
- Help your child practice being assertive. The simple act of insisting that the bully leave him alone may have a surprising effect. Explain to your child that the bully's true goal is to get a response.
- Encourage your child to be with friends when traveling back and forth from school, during shopping trips, or on other outings. Bullies are less likely to pick on a child in a group.

If your child becomes withdrawn, depressed or reluctant to go to school, or if you see a decline in school performance, additional consultation or intervention may be required. A child and adolescent psychiatrist or other mental health professional can help your child and family and the school develop a strategy to deal with the bullying. Seeking professional assistance earlier can lessen the risk of lasting emotional consequences for your child.

For more information see *Facts for Families*:

[#33: Conduct Disorder](#)

[#55: Understanding Violent Behavior in Children](#)

[#65: Children's Threats](#)

[#66: Helping Teenagers with Stress](#)

If you find *Facts for Families*® helpful and would like to make good mental health a reality, consider donating to the [Campaign for America's Kids](#). Your support will help us continue to produce and distribute Facts for Families, as well as other vital mental health information, free of charge. You may also mail in your contribution. Please make checks payable to the AACAP and send to *Campaign for America's Kids*, P.O. Box 96106, Washington, DC 20090.

The American Academy of Child and Adolescent Psychiatry (AACAP) represents over 8,500 child and adolescent psychiatrists who are physicians with at least five years of additional training beyond medical school in general (adult) and child and adolescent psychiatry.

Facts for Families© information sheets are developed, owned and distributed by AACAP. Hard copies of *Facts* sheets may be reproduced for personal or educational use without written permission, but cannot be included in material presented for sale or profit. All *Facts* can be viewed and printed from the AACAP website (www.aacap.org). *Facts* sheets may not be reproduced, duplicated or posted on any other website without written consent from AACAP. Organizations are permitted to create links to AACAP's website and specific *Facts* sheets. For all questions please contact the AACAP Communications & Marketing Coordinator, ext. 154.

Bullying, “Facts for Families,” No. 80 (3/11)

If you need immediate assistance, please dial 911.

Copyright © 2012 by the American Academy of Child and Adolescent Psychiatry.